For: Designated Rate Areas In Kentucky Revised P.S.C. Ky. NO. ___1 Second Revised Sheet No. 33 Canceling Revised P.S.C. Ky. NO. ___1 AguaSource Utility, Inc. **Issuing Corporation** Revised Sheet No. 33 Residential, Industrial and Commercial Sewer Rates, Rules and Regulations inspection agency certifying that such customer's plumbing is satisfactory. SECTION 5.05 CLEANOUT ACCESS PIPE REQUIREMENT Any Person connecting to the Wastewater Sewage collection system of the Utility after October 31, 2000, other than a connection involving a non-gravity sewer system (grinder pump), shall install a cleanout access pipe. The cleanout access pipe shall be located outside of the residence or building to be serviced, and shall be installed at a point within two feet of the foundation wall of the residence or building. The diameter of the cleanout access pipe shall be not less than four inches, and shall have a screw-in cap or other mechanical device for closure approved by the Utility. The customer shall be responsible for the cost of the initial installation, and for the cost of maintaining and repairing the cleanout access pipe. The Utility shall have the right of ingress and egress over the property of the customer in order to access the cleanout pipe in connection with the operation and maintenance of the Wastewater Sewage collection system. PUBLIC SERVICE COMMISSION OF KENTUCKY **EFFECTIVE** NOV 01 2000 PURSUANT TO 807 KAR 5:011. SECTION 9 (1) RY Stedand Bus SECRETARY OF THE COMMISSION Date of Issue (Sec. 5.04): July 17, 2000 Date Effective (Sec. 5.04): November 15, 1999 Date Effective (Sec. 5.05): November 1, 2000 Date of Issue (Sec. 5.05): November 16, 2000 Clarksville, Indiana Address

New Section 5.05 is added by authority of Public Service Commission Order dated October 2, 2000 in Case No. 1999-042.

P.S.C. Ky. No
Cancels P.S.C. Ky. No
FILING
G.S. KNOX GAS COMPANY
Rates, Rules and Regulations for Furnishing
NATURAL GAS
7.00
DOZIER BRANCH AND OWENS HOLLOW KNOX COUNTY, KENTUCKY
Filed with PUBLIC SERVICE COMMISSION OF KENTUCKY
ISSUED DE CEMBER 15, 1997
PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE FOR THE PROPERTY OF THE PROPE
DEC 15 1997 DEC 15 1997 By JANIE L. GRANDE

PRESIDEN?

PURSUANT TO 807 KAR 5.011, SECTION 9 (1) BY: Stephan Buy SECRETARY OF THE COMMISSION

Form for filing Rate Schedules	For KNOX COUNTY
	Community, Town or City
	P.S.C. NO.
	SHEET NO
G S KNOX GAS COMPANY	CANCELLING P.S.C. NO.
Name of Issuing Corporation	SHEET NO
CLASSIFICA	ATION OF SERVICE
	RATE
	PER UNIT
Z ICNOX GAS COMPANY IS APP	
AS A FARM TAP SYSTEM AS	
KRS 278.485, AND REQU	JESTS APPROVAL ON
THE FOLLOWING RATE SCHED	ILE TO SELL GAS TO
HOMEOWNERS ALONG THE	
to the following the first	12202
ALL CUSPOMERS WILL BE	CHARCED THE SAME.
\$ 6.00 / MCF FLA	T RAPE
\$ 5.00 MONTHLY	MINIMUM CHARGE
\$ 150.00 TAP FEE	
7	PASIT
\$ 20.00 RECONNECT	PUBLIC SERVICE COMMISSION
	OF KENTUCKY EFFECTIVE
	DEC 15 1997
	PURSUANT TO 807 KAR 5:011.
	SECTION 9 (1) BY: Stephan (S. 1)
	ST SY OF THE COMMISSION
DATE OF ISSUE PETOBER 10,1997	DATE EFFECTIVE DECEMBER 15,10
ISSUED BY JANIE L. GRANDE	TITLE PRESIDENT
ISSUED BY NAME L. GIANDE Name of Officer	

	FOR
	P.S.C. Ky. No.
	Sheet No
GJ IZNOX GAS COMPANY	Cancelling P.S.C. Ky. No
	Sheet No.
RULES AND R	REGULATIONS
	*
THE FARM PAP SYSTEM ANS	BEEN CONSTRUCTED ACCORDING
TO ALL APPLICABLE RULES AND	
PUBLIC SERVICE COMMISSION	
AND 3:026-	3 3.022
	A 4240-14 . 0.4 . 0.4 . 0.4
THE SYSTEM WILL BE OPERAP	ED RECORDING TO THE
REQUIREMENTS OF THE AFME	IMENTIONED ROBULATIONS
65 KNOX GAS COMPANY WILL O	perate the system.
THE OFFICE WILL BE LICATE	D AT USZSE, BARBOURVI
KY 40906. ALL CUSTOMER	
BILLINGS AND COLLECTIONS	
MAINTENANCE RECORDS, AND	ALL ADDITIONAL MANUA
AND PROCEDURES REQUIRES	BY THE PUBLIC SERVIC
COMMISSION WILL BE HANDLE	EN RU THIS OFFICE
	30 67 1113
	PUBLIC SERVICE COMMISSION
	OF KENTUCKY EFFECTIVE
	DEC 1 5 1997
	DLC 1.0 1031
	PURSUANT TO 807 KAR 5:011, SECTION 9 (1)
	BY: StephanO Buy
	SECRETARY OF THE COMMISSION
	DATE EFFECTIVE 12 15 9
Month Day Year	Month Day Yea
ISSUED BY JANE L. GRANDE P Name of Officer	RESIDENT GRAY, KY 40734 Title Address